

---

## Graphic and functional accessibility guidelines

---

Date	Version	Author	Statut / Comments
November 3, 2018	3.0	Atalan	Minor content update.
August 10, 2020	4.0-v1	Atalan	Major updates to ensure compliance with RGAA 4 and WCAG 2.1 (levels A and AA).
June 15, 2023	4.0-v2	Atalan	Improved document accessibility.
August 22, 2023	4.1.2-v1	Atalan	Minor content update: rephrasing a few sentences.
August 20, 2024	4.1.2-v2	Atalan	Merging of sheet 7.4 (concerning the presence of subtitles) and 7.5 (concerning the readability of subtitles) into a single sheet 7.4.

# Table of contents

<b>INTRODUCTION .....</b>	<b>5</b>
Context and objectives.....	5
Who should read this document, and how to use it?.....	5
Contact.....	6
License agreement.....	6
<b>1. NAVIGATION.....</b>	<b>7</b>
1.1 Provide at least two of the following navigation methods: main menu, site map, and search engine.....	7
1.1.1 <i>Site map examples</i> .....	7
1.1.2 <i>Search engine examples</i> .....	8
1.2 Provide an accessibility statement .....	9
<b>2. COLOURS .....</b>	<b>11</b>
2.1 Make sure that there is sufficient contrast between the content and the background .....	11
2.1.1 <i>Minimum contrast ratio</i> .....	11
2.1.2 <i>Colour Contrast Analyser</i> .....	11
2.1.3 <i>Alternative style guidelines</i> .....	13
2.2 Make sure that there is sufficient contrast between informative and interactive graphic elements and the background.....	13
2.2.1 <i>Minimum contrast ratio</i> .....	14
2.2.2 <i>Alternative style guidelines</i> .....	15
2.3 Make sure that information is comprehensible even if the colours are absent	15
<b>3. LINKS.....</b>	<b>18</b>
3.1 Distinguish links from the surrounding text.....	18
<b>4. ORIENTATION AND SCREEN SIZE .....</b>	<b>19</b>
4.1 Do not restrict the ability to change the screen orientation .....	19
4.2 Design the interface in a responsive way .....	19

4.3	Do not remove features or content in the responsive views.....	20
<b>5.</b>	<b>TIME MANAGEMENT .....</b>	<b>23</b>
5.1	Provide a way to control the session length .....	23
5.2	Provide a way to control automatic refreshes .....	23
<b>6.</b>	<b>FORMS .....</b>	<b>25</b>
6.1	Provide an explicit label for each form fields .....	25
6.2	Place each label next to the corresponding field .....	26
6.3	Provide an explicit button text for each button .....	27
6.4	Clearly indicate mandatory fields .....	28
6.5	Provide help for entering data.....	29
6.6	Provide explicit error messages and suggestions for correcting errors .....	30
<b>7.</b>	<b>RICH CONTENT AND MULTIMEDIA .....</b>	<b>32</b>
7.1	Provide a heading or summary for all video and audio content .....	32
7.2	Provide a way of accessing the text transcript of all video and audio content .....	33
7.3	Provide a way of controlling the progress and the sound of all video and audio content.....	34
7.4	Provide a way of displaying the closed captions and make them readable.....	35
7.5	Provide a way of activating the audio description .....	37
7.6	Provide a method for controlling all animated content.....	37
7.7	Provide a way of accessing the detailed description of each rich content .....	39
<b>8.</b>	<b>ADDITIONAL RULES FOR COMPLIANCE .....</b>	<b>41</b>
	Make one touch keyboard shortcuts deactivatable or reconfigurable .....	41
	Make sure that the navigation is visually consistent.....	42
	Provide an alternative to each CAPTCHA that is only a sound or only a visual test ....	42
	Provide a way to control automatically triggered sounds .....	43
	Use identical labels for form fields that have the same purpose .....	43
	<b>COMPLEMENTARY GUIDELINES .....</b>	<b>45</b>

Associate text with each ambiguous symbol.....	45
Do not justify the text.....	46
Group similar form fields together and give them a heading.....	47
Indicate the format and size of each document that can be downloaded.....	47
Indicate the language of each document available for download written in a foreign language.....	48
Keep accents on capital letters (for French, Spanish and any language containing accented characters) .....	49
Make the current position visually different in each navigation system .....	49
Plan sufficiently large and spaced hotspots.....	50
Provide a breadcrumb.....	51
Provide a confirmation message .....	51
Provide a heading for each data table .....	52
Provide an explicit link text for each link and each button.....	53
Provide a submit button at the end of each form .....	54
Provide a summary prior to final submission of multi step forms.....	56
Provide a way of returning to the previous steps on forms with multiple steps .....	56
Provide skip links.....	57

## Context and objectives

**This documentation brings together all the accessibility specifications to consider during the graphic design and ergonomics stages of website or web application development (wireframes, prototypes, mock-ups, etc.) to ensure WCAG 2.1 compliance.**

By taking these recommendations into account you can plan for the inclusion of a maximum number of accessibility criteria before the technical integration and development phases.

Several recommendations in this manual can also apply to the functional design of a website or web application (inclusion of a search engine, functionalities for a media player, etc.).

This manual is part of a set of four complementary manuals that can be downloaded from [www.accede-web.com](http://www.accede-web.com):

- **Graphic and functional accessibility guidelines (this manual).**
- HTML and CSS accessibility guidelines.
- Main rich interface components accessibility guidelines.
- Editors accessibility guidelines (template).

## Who should read this document, and how to use it?

This document should be given to the stakeholders and/or service providers who create the functional specifications and graphic mock-ups. It should be used in addition to the project specifications, company graphic charter, and creative briefs. The recommendations may be supplemented with others, or left out, according to the circumstances—the project manager is often the most appropriate person for this task.

The recommendations should be taken into account during the graphic design phase, and for some of them, when creating storyboards and functional specifications.

### Note

The online version of these guidelines comes with many examples, links to complementary resources, etc. This one is available at: <https://www.accede-web.com/en/guidelines/graphic-functional/>.

## Contact

Please send any comments about this document to Atalan, the coordinator of the AcceDe Web project, at the following email address: [accede@atalan.ca](mailto:accede@atalan.ca).

You can also find more information on the methodological guidelines of the AcceDe Web project at [www.accede-web.com](http://www.accede-web.com).

## License agreement

This document is subject to the terms of the [Creative Commons BY 3.0](https://creativecommons.org/licenses/by/3.0/) license.

You are free to:

- copy, distribute and communicate the work to the public,
- change this work,

under the following conditions:

- Mention of the authorship if the document is modified:
  - You must include the Atalan and AcceDe Web logos and references, indicate that the document has been modified, and add a link to the original work at [www.accede-web.com](http://www.accede-web.com).
  - You must not in any circumstances cite the name of the original author in a way that suggests that he or she endorses you or supports your use of the work without its express agreement.
  - You must not in any circumstances cite the name of partner companies (Air Liquide, Atos, BNP Paribas, Capgemini, EDF, Generali, L'Oréal, SFR, SNCF, Société Générale, SPIE and Total), or the organizations which have supported this initiative (AbilityNet, Agence Entreprises & Handicap, AnySurfer, Association des Paralysés de France (APF), CIGREF, Design For All Foundation, ESSEC, Handirect, Hanploi, Sciences Po and Télécom ParisTech) without their express agreement.

The Atalan and AcceDe Web logos and trademarks are registered and are the exclusive property of Atalan. The logos and trademarks of partner companies are the exclusive property of Air Liquide, Atos, BNP Paribas, Capgemini, EDF, Generali, L'Oréal, SFR, SNCF, Société Générale, SPIE and Total.

# 1. Navigation

## 1.1 Provide at least two of the following navigation methods: main menu, site map, and search engine

At least two of the following three navigation methods must be available in the website:

- **A main menu.**
- **A site map** that shows the structure of the website, and at least allows the user to access all sections and functions of the website.
- **A comprehensive search engine** that provides a search on all the content (texts, documents, videos, etc.).

These items must be available in the same place on each page throughout the website.

### Note

You can, of course, choose to have all three navigation methods in the same website.

### 1.1.1 Site map examples

SITE MAP		
PRODUCTS		
<b>Men's</b> New Arrivals Boots Shoes Sandals Made in England Originals	<b>Women's</b> New Arrivals Boots Shoes Sandals Made in England Originals Heels	<b>Kids</b> Newborn Toddler Juniors Youth
<b>Work Boots</b> Work and Safety Boots Slip Resistant Steel Toe Women's Work and Safety Shoes Grip Trax	<b>Accessories</b> Backpacks Bags and Satchels Shoe Care and Laces Socks	<b>Collections</b> Casual Fur lined Vegan Winter Boots Festival
COMPANY INFO		
<b>Customer Service</b> Delivery Returns FAQ's Size & Fit Guide Contact Us	<b>About Us</b> History Work at DM's Find a Store	<b>Legal</b> Privacy Terms and Conditions Cookies Policy



## Home / Sitemap

### ■ Services

- Benefits and advices
- Education and childcare
- Environment
- Housing
- Jobs
- Libraries
- Roads and transports
- Social care and health

### ■ Events

- Events calendar
- City events
- Booking


### ■ About this website

- Terms and policy
- Accessibility
- Cookies
- Privacy

### ■ Contact us


- Contact form
- Addresses

*Examples of site maps.*




*Example of a link to the site map at the bottom of the page.*


### 1.1.2 Search engine examples

A screenshot of a search engine interface. It features a large search input field at the top. Below the input field is a checkbox labeled 'Search for exact phrase'. Underneath that is the text 'Search on all website or filter by category'. Below this text is a dropdown menu currently showing 'All website'. At the bottom of the interface is a prominent purple button labeled 'Search'.






*If necessary, it is possible to provide filters on the search engine so that the results are more accurate.*



*Screenshot of a search results page filtered by date.*



*The presence of correction suggestions is a good accessibility practice.*

## 1.2 Provide an accessibility statement

In the case of a website required to comply with the [RGAA \(Référentiel Général d'Amélioration de l'Accessibilité\)](#), an accessibility statement must be provided.

## Warning

The information that must be included in this declaration can be consulted directly on the site of the [RGAA – “Déclaration d’accessibilité” section](#).

An [accessibility statement example](#) is available on the same website.

## Note

This accessibility statement and its link may for example be entitled "Accessibility", "Accessibility Statement" or "Accessibility Policy".

It must be available in the same place on each page throughout the website.

## 2. Colours

### 2.1 Make sure that there is sufficient contrast between the content and the background

The contrast between the text and the background must be sufficient.

This applies to all texts ("pure", embedded in images, animations, etc.).

#### 2.1.1 Minimum contrast ratio

The minimum contrast ratio to reach depends on the size and weight of the texts.

##### 2.1.1.1 Normal text

- The colour of a **non-bold text with a font size lower than 18pt or 24px** must have at least a contrast ratio of **4.5** with the background colour.
- The colour of a **bold text with a font size lower than 14pt or 18.5px** must have at least a contrast ratio of **4.5** with the background colour.

##### 2.1.1.2 Big text


- The colour of a **non-bold text with a font size higher or equal to 18pt or 24px** must have at least a contrast ratio of **3** with the background colour.
- The colour of a **bold text with a font higher or equal to 14pt or 18.5px** must have at least a contrast ratio of **3** ratio with the background colour.

#### Note


The kind of font used has no impact on the contrast ratios to be reached.

#### 2.1.2 Colour Contrast Analyser

To test the contrast you could use, for example, the [Colour Contrast Analyser](#) tool for Windows and Mac OS that you can download for free.



According to this tool, blue text on a gray background has a sufficient contrast ratio.



According to this tool again, the menu entry "My Account" in white on a light red background has a sufficient contrast ratio.

### Warning

Be careful when using gradients, transparency and background images.


## 💡 Tips

- The [Chart contrast analysis grid](#) allows you to automatically calculate the contrasts of several colours.
- The [Contrast Finder](#) tool can be used to find sufficiently contrasted colour combinations.

### 2.1.3 Alternative style guidelines

If it is not practical to optimize the contrast, then you can create alternative style guidelines that offer sufficient contrast.

Alternative style guidelines do not necessarily push the contrast to the limits (for example, black on white, or white on black), but provide rules so that the association of colours is optimized satisfactorily.



*In this example, alternative style guidelines that are sufficiently contrasted (on the right capture) can be activated from the button "Accessibility" which opens a menu containing some accessibility parameters.*

## 2.2 Make sure that there is sufficient contrast between informative and interactive graphic elements and the background

The contrast between informative and interactive graphic elements and the background must be sufficient.

It includes, in particular:


- Informative pictograms.
- Interactive pictograms alone, without label.
- Form fields.
- Tabs.

### 2.2.1 Minimum contrast ratio


The minimum contrast ratio to reach between the informative/interactive graphic elements and the background colour is of **3**.

#### Note

To test the contrast ratio, use, for example, the [Colour Contrast Analyser](#) tool.



*Examples of interactive pictograms with sufficient contrast.*



*Example of an informative pictogram with sufficient contrast.*

<input type="checkbox"/>	I sign up to newsletter (monthly)
<input checked="" type="checkbox"/>	I agree to the <a href="#">Terms and Conditions of use</a>

*Examples of sufficiently contrasted checkboxes.*

From
<input type="text"/>

*Example of a text field with insufficient contrast.*

From


Example of a text field with sufficient contrast.

## 2.2.2 Alternative style guidelines

If it is not practical to optimize the contrast, then [a sufficiently contrasted alternative style guidelines](#) must be provided.

## 2.3 Make sure that information is comprehensible even if the colours are absent


Information must not be conveyed **solely** by colour.





## Breakdown of 2019 sales.

Geographic zones



*In the first example, the information in the pie chart can only be understood by associating each segment with a colour; the second version is comprehensible even if the colours are absent.*



**EDF Énergies  
Nouvelles**



Installed capacity:  
**3 422, 6 MW**  
Total capacity of the parks  
in which EDF Énergies  
Nouvelles is a shareholder.

**Tiru**



Sale of **3,7 TWh**  
of electricity and steam,  
50% of which is green  
energy (excluding heating),  
from **3,9 millions** tonnes  
of treated wastes.

**Électricité  
de Strasbourg**



Number of clients:  
**488 000** clients.  
Sale of **6,4 TWh**  
of electricity and  
**0,2 TWh** of gaz.

**Dalkia**










Optimized management  
of energies.




- Production
- Distribution
- Services

*In this first example, squares of different colours are used for the legend. information is conveyed only by this means.*



 <p><b>EDF Énergies Nouvelles</b></p> <p> </p> <p>Installed capacity: <b>3 422, 6 MW</b></p> <p>Total capacity of the parks in which EDF Énergies Nouvelles is a shareholder.</p>	<p><b>Tiru</b></p> <p></p> <p>Sale of <b>3,7 TWh</b> of electricity and steam, 50% of which is green energy (excluding heating), from <b>3,9 millions</b> tonnes of treated wastes.</p>	<p><b>Électricité de Strasbourg</b></p> <p> </p> <p>Number of clients: <b>488 000</b> clients. Sale of <b>6,4 TWh</b> of electricity and <b>0,2 TWh</b> of gaz.</p>	<p><b>Dalkia</b></p> <p></p> <p>Optimized management of energies.</p>
--	--	---	--

 Production
 Distribution
 Services

*While in this version, the color squares have been replaced by pictograms. This makes the information understandable even in the absence of colors.*



*In this first example of a navigation menu, information regarding the current position ("Investors") is only conveyed by a change in the background color.*



*While in this version, the addition of a downward pointing arrow makes the information understandable even in the absence of colors.*



*In this first example of a carousel navigation system, the information regarding the current position is conveyed only by the color change.*



*While in this version, the shrinking of the current position makes it possible to make the information understandable even in the absence of colors.*

## 3. Links

### 3.1 Distinguish links from the surrounding text

When links are included in content, they must be distinguished from the text surrounding them:

- Ideally, by not relying solely on color (by underlining them, for example).
- Otherwise, by applying the following rules:
  - Ensure that the [contrast ratio](#) between the color of the links and the color of the surrounding text is at least of 3.
  - Provide the appearance of links on hovering and keyboard focus by not relying on a color change (underlining, bold text, etc.).



*Example of a visual differentiation via underlining between a link and its surrounding text.*

#### Note

This rule does not apply to links included in link groups (menu items, for example), because their function is obvious.

#### Warning

You are strongly advised not to apply underlining to other elements than links.

## 4. Orientation and screen size

### 4.1 Do not restrict the ability to change the screen orientation

All content and features must remain available and usable regardless of screen orientation (portrait or landscape).




Please rotate your screen.


*This example does not comply because access to the page is blocked by a message "Please rotate your screen" which forces the person to change her screen orientation to keep browsing.*

### 4.2 Design the interface in a responsive way

All content and features must remain available on a screen that is 320px wide or wider, without any horizontal scroll bars.



*Illustration of a desktop view.*



*Illustration of the same view on mobile.*

### 4.3 Do not remove features or content in the responsive views

Ensure that all content and features are available regardless of the screen size.

In particular, do not remove features (menus, filtering systems, interactive maps, etc.) and/or content (data tables, videos, etc.) from the *responsive* views.

The image shows a mobile view of a job listing for 'Front-End Developer'. The listing includes a profile icon, the job title, and the industry 'Computing, web'. It also lists educational qualifications and average wage. Below this is a 'Description' section with a 'Summary' button. A table provides key details about the job, and a paragraph of text describes the role.

Description	
Industry	Computing, web
Minimum studies level	2 years higher education
Internship	Yes
Professional integration	Good
Starting wage	€2,000 to €2,500

A front-end developer architects and develops websites and applications using web technologies (i.e., HTML, CSS, DOM, and JavaScript), which run on the Open Web Platform or act as compilation input for non-web platform environments (i.e., React Native).  
Typically, a person enters into the field of front-end development by learning to develop HTML, CSS, and JavaScript which commonly runs in a web browser but can also run in a headless browser, WebView, or as compilation input for a native runtime environment. These four run times scenarios are explained below.

*In the desktop version of this page, an abstract, a share button, and a summary table are available.*




## Front-End Developer

Computing, web

 Educational qualifications:  
2 years higher education

 Average wage: €2,300

### Description

Industry	Computing, web
Minimum studies level	2 years higher education
Internship	Yes
Professional integration	Good
Starting wage	€2,000 to €2,500

A front-end developer architects and develops websites and applications using web technologies (i.e., HTML, CSS, DOM, and JavaScript), which run on the Open Web Platform or act as compilation input for non-web platform environments (i.e., React Native).

Typically, a person enters into the field of front-end development by learning to develop HTML, CSS, and JavaScript which commonly runs in a web browser but can also run in a headless browser, WebView, or as compilation input for a native runtime environment. These four run times scenarios are explained below.




## Front-End Developer

Computing, web

 Educational qualifications:  
2 years higher education

 Average wage: €2,300

Summary  

### Description

Industry	Computing, web
Minimum studies level	2 years higher education
Internship	Yes
Professional integration	Good
Starting wage	€2,000 to €2,500

A front-end developer architects and develops websites and applications using web technologies (i.e., HTML, CSS, DOM, and JavaScript), which run on the Open Web Platform or act as compilation input for non-web platform environments (i.e., React Native).

Typically, a person enters into the field of front-end development by learning to develop HTML, CSS, and JavaScript which commonly runs in a web browser but can also run in a headless browser, WebView, or as compilation input for a native runtime environment. These four run times scenarios are explained below.

*The summary button and sharing functionality must therefore also be available in the mobile version.*

**Note**

Content and features can disappear from one version to another if a means of accessing them remains available on the page.

For example, a search field displayed in the banner on the desktop version of the website can be removed from the banner in the mobile version if a link to the search engine is provided as a replacement.


## 5. Time management

### 5.1 Provide a way to control the session length

When a session is active (online purchases, bank data consultation, administrative procedures, etc.), a means of removing the session time limit must be provided.

#### Note

If it is not possible to completely remove the session time limit (for security reasons, for instance), then a way to extend it must be provided.



*Before the end of the validity of the current session, this website offers a functionality which allows to extend its duration.*

### 5.2 Provide a way to control automatic refreshes


When all or part of the page reloads automatically (news feed, stock price, roadmap, etc.), a way to disable and re-enable automatic refreshes must be provided.

#### Note

If it is not possible to completely disable automatic refreshes, then a way of spacing them out in time must be provided.

#### Tip

If the website offers many automatic refreshes, a good practice is to provide a centralized system for disabling and re-enabling all refreshes.




*This website provides a "Data auto refresh" feature that allows to enable or disable automatic refreshes.*



## 6. Forms

### 6.1 Provide an explicit label for each form fields

An explicit label must be provided for each form field.



The first example shows a form with two stacked input fields. The top field is labeled "Address:". The second example shows a form with two stacked input fields. The top field is labeled "Address:" and the bottom field is labeled "Address (continuation):".

*In this example, a label has been added to the field for the second line of the address.*

#### Note

If it is not practical to add a label for each field (lack of space in the mock-up, for example), there are other solutions that can be used later in the development phase.


Nevertheless, this is a compromise solution that is less effective than directly optimizing the form field label.



The image shows a search field with a magnifying glass icon on the left and a "SEARCH" button on the right.

*In this example of search field, a "Search" button compensates for the absence of an explicit label.*

#### Warning



The image shows two input fields. The top field has the placeholder text "Votre email" and the bottom field has the placeholder text "ro|".


Placeholders must not be used as labels since they disappear when the field is filled.

## 6.2 Place each label next to the corresponding field


Each label must be placed close to the field to which it is attached:

- Either immediately above the field.
- Or immediately:
  - To the right of the field for radio buttons and checkboxes.
  - To the left of the field for all other field types.

There must only be a few pixels that separate a label from its corresponding field so that their association is visually obvious.




A form layout example marked with a red 'X' indicating it is incorrect. The labels 'Title', 'First Name', 'Last Name', and 'Date of birth' are positioned to the left of their respective input fields. The 'Date of birth' field includes a small note: 'Date format: DD/MM/YYYY'.



A form layout example marked with a green checkmark indicating it is correct. The labels 'Title', 'First Name', 'Last Name', and 'Date of birth' are right-aligned and positioned immediately to the left of their respective input fields. The 'Date of birth' field includes a small note: 'Date format: DD/MM/YYYY'.

*In this example, labels are right-aligned so that they are next to the corresponding fields.*



A form layout example showing two input fields. The label 'Last name \*' is positioned immediately above the first input field, and the label 'First name \*' is positioned immediately above the second input field.

*In this example, the headings are positioned immediately above their respective form fields.*

I agree to the Terms of Service and Privacy Policy.

*In this example, the checkbox is positioned immediately to the left of the label.*

### 6.3 Provide an explicit button text for each button



An explicit button text must be provided for each button. The purpose of the button must be easily understood just by reading the button text, even if it is read out of context.

Button texts with the following text should therefore be avoided:

- "OK".
- "Validate".
- "Confirm".
- Etc.

They should be replaced by button texts such as:

- "Register".
- "Go to step 2".
- "Confirm payment".
- Etc.




*In this example, the "OK" button has been replaced by a "Find Tickets" button, which is more precise.*

## Note

If it is not practical to add a button text for some buttons (lack of space in the mock-up, for example), there are other solutions that can be used later in the development phase.

Nevertheless, this is a compromise solution that is less effective than directly optimizing the button text.



*In this example, the image button represents a magnifying glass.  
It will be made accessible during the technical phase*


## 6.4 Clearly indicate mandatory fields

On each form, mandatory fields must be clearly indicated:

- A distinctive sign (“\*” symbol, “mandatory” mention, etc.) must be provided in the label of each mandatory field.
- If a symbol is used to declare mandatory fields, a statement placed **at the beginning** of the form must indicate that the symbol stands for a mandatory field.

## Note

If all the form fields are mandatory, then the statement “All fields are mandatory”, placed at the beginning of the form, may be sufficient.



\* Mandatory fields

\* Title:  Ms  Mrs  Mr

\* Last name:


\* Forename:

Address:


*In this example, mandatory fields are indicated with an asterisk.*

## 6.5 Provide help for entering data


Whenever the user is expected to enter values in a specific format in a form field, this must be indicated to the user.



*In this example, the password complexity requirements are specified close to the field.*



*In this example, the format required for the date of departure is specified close to the field.*



*In this example, information concerning the format and size of the document is provided before the document is sent.*



**Trip Planner**

START / END    OPTIONS    ?

Start

- TORONTO ZOO, TORONTO Stop
- TORONTO SOUTH DETENTION CENTRE, TORONTO Stop
- TORYORK DR AT MILVAN DR, TORONTO Stop
- TORBARRIE RD AT JOSEPH GRIFFITH LANE SOUTH SIDE, TORONTO Stop
- TORBARRIE RD AT JUDY SGRO AVE SOUTH SIDE, TORONTO Stop
- TORBARRIE RD AT SERGIO MARCHI ST, TORONTO Stop
- Torbram Rd n/of Derry Rd, MISSISSAUGA Stop
- Torbram Rd at Rena Rd, MISSISSAUGA Stop
- Torbram Rd n/of Lucknow Dr, MISSISSAUGA Stop
- Torbram Rd at Kimbel St, MISSISSAUGA Stop

In addition to the mandatory helpers, a good practice is to provide autocompletion systems on the free entry fields (global search, route search, etc.).


## 6.6 Provide explicit error messages and suggestions for correcting errors

Whenever there is a possibility that a form returns errors, the following items must be provided:

- Explicit error messages.
- Suggestions for correcting errors.

Error messages must be explicit. That is to say, just by reading the error message:

- The field concerned must be identifiable.
- The cause of the error must be understandable.
- Suggestions must be provided when an error is due to an incorrect input format.



Step 4 of 4

## Create your account.

Your email address

! Enter a working email address, so you can receive our messages.

Choose a username


! Enter a username of your choice.

Choose a password

! Don't forget to enter a password.

By creating an account via any of the options below, you agree to our [Terms of Service](#).

Continue



Step 4 of 4

## Create your account.

! Enter a working email address, so you can receive our messages.

! Enter a username of your choice.

! Don't forget to enter a password.

Your email address

Choose a username

Choose a password

By creating an account via any of the options below, you agree to our [Terms of Service](#).

Continue

*In the two examples above, the error messages are thorough and are accompanied by suggestions for correcting the errors.*

### Warning


Error messages must not disappear automatically.

These messages must only disappear on a user action (closing button, display of a new page, new form submission, etc.).

## 7. Rich content and multimedia

### 7.1 Provide a heading or summary for all video and audio content

To highlight each video, a heading and/or summary must be provided.



*The video above is accompanied by a heading and a short presentation text.*

175 | January 5, 2001

# Babysitting

Stories of babysitters, and what goes on while mom and dad are away that mom and dad never find out about. Including the story of two teenagers who decide to invent children to babysit, as an excuse to get out of their own house.

▶

Download | Share a clip | Transcript | f | t | u

*The audio content above is accompanied by a heading and a short presentation text.*




## 7.2 Provide a way of accessing the text transcript of all video and audio content


The user must have a way of accessing the text transcript of all video and all audio content.

This text transcript must be available:

- Either directly on the same page near the video or the audio content.
- Or on another page, available from a link close to the video or the audio content.



*Example of a text transcript directly under the video.*




*Example of links to download the text transcript of a video.*

## Women's brain business

[▶ Listen now](#)
[↓ Download audio](#)
[📄 show transcript](#)

Sunday 6 May 2018 5:05PM

The brain is shaped and changed by our lives, our genes, and our hormones. Some women are affected by baby brain, PMS, and brain fog—but it's not as simple as you think. Neuroscientist Dr Sarah McKay investigates the influence of female biology and hormones on the brains of women as they move through key stages including menstruation, pregnancy and menopause.



**Sunday 5pm**  
**Repeated: Tuesday 1.30pm, Friday 12am**  
**Presented by Lynne Malcolm**

*Example of a link to the text transcript of the audio content.*

### 7.3 Provide a way of controlling the progress and the sound of all video and audio content

The following controls must be included with all video and audio content:

- Progress controls, play button and stop and/or pause button.
- Sound controls: mute/unmute sound button.

#### Tip


It is moreover interesting to provide for each video and audio content:

- A way to control its volume.
- Information about the current position and its total duration.
- Ways to control its progress (progress bar, fast-forward/rewind buttons, etc.).

## Salvador Dalí

Guillaume Tell, 1930

The new season of "Un podcast, une œuvre" explores the links between art and therapy through 4 pieces, with 4 artists each bringing a unique perspective to these issues.



*These examples of audio and video players are compliant because they offer the following buttons: play/pause, sound on/off and volume control.*

## 7.4 Provide a way of displaying the closed captions and make them readable


You must provide a way of displaying and hiding the closed captions for each video.

Whenever closed captions are displayed, [the contrast between the text and the video in the background must be sufficient.](#)


### Tip

To ensure that closed captions are readable whatever the situation, consider, for example, adding a black background behind white closed captions or a dark outline around light text.





*The "CC" button is used for activating the closed captions*



*Closed captions with a white type and black outline, for example, ensure that text is readable in all contexts.*




*A background that is opaque or semi-transparent also ensures that the text is easily read.*

## 7.5 Provide a way of activating the audio description

A way of activating or deactivating the audio description must be provided with each video.

### **i** Note

The audio description uses a voice-over to provide the information that is conveyed by the image only. It is useful for all people who cannot see the video correctly (blind and visually impaired people).



*The "AD" button (for Audio Description) is used to activate the audio description.*

## 7.6 Provide a method for controlling all animated content

A way to pause and restart animation must be provided for each animated content (scrolling, flashing, movement, etc.).

### **i** Note


You do not need to provide a progress bar or pause/play button for animations that last less than 5 seconds.

 **Tip**

If the website offers a lot of moving content, a good accessibility practice is to provide a centralized system for deactivating and restarting all animations of the website at once.



*This animated carousel has a button for pausing the movement.*



*This feature allows you to enable or disable from a single place all the animations of the site.*

## 7.7 Provide a way of accessing the detailed description of each rich content

A way of accessing the detailed description must be provided for each rich content.

### Note


A rich content is a content carrying so much information that it is necessary to provide in parallel a detailed description in text format.

Here are some examples of rich contents:

- An infography.
- A graph (diagram, curve, etc.).
- A geographical map.


This detailed description must be provided:

- Either directly on the same page near the rich content.
- Or on another page, available from a link near the rich content.



*This infography carries complex information. A "View the full text transcript" button allows the display of a detailed description of this rich content.*


## Project manager calendar



### Calendar text transcript ▲

- **2016:** Public concertation
- **2017:** Development of statistical studies
- **2018:** Public enquiry, Preliminary draft
- **2019:** Declaration of Public Utility
- **2022:** Prefectoral decision
- **2022-2025:** Works
- **2025:** Commissioning

*This calendar is an image carrying complex information. A "Calendar text transcript" button allows the display of a detailed description of this rich content.*



*This map carries information and is accompanied by a text alternative indicating the address as well as the metro station and bus lines in the surroundings of the address.*



## 8. Additional rules for compliance

Some criteria present in the accessibility standards have not been retained in the body of this notice because they are considered to be rarely applicable.



However, following these additional rules is necessary to ensure RGAA 4.1.2 and WCAG 2.1 compliance.

They are listed below:

- Limit the use of flash effects
- Do not provide information based on shape, size or position only
- Do not open a new window automatically
- Allow the control of redirections
- Provide an alternative for each functionality based on the movement of the device and/or the person
- Provide an alternative via a simple gesture for each complex gesture that serves as a feature control
- Provide a means to modify, delete or recover one's own data of a legal or financial nature, or related to the passing of a test or examination
- Provide a summary for each complex data table
- Provide [accessible office documents \(PDF, DOC, etc.\)](#) or provide equivalent accessible alternative versions

### Make one touch keyboard shortcuts deactivatable or reconfigurable

Keyboard shortcuts **consisting of only one key** must be :

- Deactivatable.
- And/or reconfigurable (to allow them to be replaced by multi-key combinations with ,  etc.).

### Note

This rule is not valid for keyboard shortcuts that are only functional when the focus is positioned on a specific element (for example, the down arrow key that opens a dropdown list when the focus is positioned on it).

## Make sure that the navigation is visually consistent

Throughout the website, the appearance and position of items must be consistent (though not necessarily identical):

- Navigation menus.
- Search engine.
- And, generally, all the items that appear on every page (breadcrumb, site map link, etc.).

### Note

The appearance of the home page may be different than the rest of the website.

## Provide an alternative to each CAPTCHA that is only a sound or only a visual test


For each CAPTCHA (anti-spam system) that is only a sound or only a visual test, an alternative must be provided.

For example:

- A sound alternative.
- A text alternative in the form of a simple or mathematical question.

### Note

For each CAPTCHA, it is highly recommended to provide a way to refresh its content because it happens very regularly that the CAPTCHA cannot be deciphered at the first reading.



In this CAPTCHA, the link "Listen" provides the user with a sound version of the CAPTCHA.

### Tip

Good practice is to provide, in addition to the reload solution, information on how to contact the website manager, if the CAPTCHA cannot be typed in (a link to the "Contact" page, a phone number, etc.).

### Warning

CAPTCHAs are designed to block spambots that use more and more sophisticated techniques to circumvent them.

CAPTCHAs are therefore more and more complicated to decipher.

In addition, Google's widely-used [reCAPTCHA v2](#) captcha, which is presented as a checkbox followed by an image test, is not considered compliant, and its validation can be very difficult for keyboard and screen reader users. We therefore recommend the use of captchas that require no user action, such as the [Friendly Captcha](#) or the [reCAPTCHA v3](#) of Google.

## Provide a way to control automatically triggered sounds

A means of controlling automatically triggered sounds must be provided.

### Note

The RGAA tolerates automatically triggered sounds if their duration does not exceed three seconds.

## Use identical labels for form fields that have the same purpose

Whenever fields with the same function are provided several times on the website, their label must also be identical.

# I book my **seat**

Train
 Bus
 Interrail

€ PRICE CALENDAR

One-way    Return

-25% [Purchase a discount card >](#)

From: station, address, place...

---

To: station, address, place...

Outbound	21/08/2018	At	11:00
Return	21	At	06:00

Search train

# I book my **seat**

Train
 Bus
 Interrail

€ PRICE CALENDAR

One-way    Return

-25% [Purchase a discount card >](#)

From: station, address, place...

---

To: station, address, place...

Outbound	21/08/2018	At	11:00
Return	21	At	06:00

Search bus

*In this example, regardless of the tab ("Train", "Bus" or "Interrail" tab), the labels "From" and "To" are identical. It would have been bad practice, for example, to put "To" on one tab and "Arriving in" on another.*

## Complementary guidelines

In addition to the mandatory rules detailed in the previous sections of this notice, taking into account the complementary guidelines listed below has a beneficial impact on people with disabilities.


**Therefore, we strongly recommend that you apply them.**

- Limit the length of a line to 80 characters
- Provide sign language interpretation for each audio content
- Allow a margin between paragraphs of at least 1.5 times the value of line spacing
- Allow a line spacing of at least 1.5 times the size of the text
- Provide a way to disable all the animations, including the transition effects.

### Associate text with each ambiguous symbol

If symbols whose meaning is not obvious are used, they should:

- Be accompanied by a text that clarifies their meaning.
- Be located near the accompanying text.



*In this example, symbols that could be ambiguous are combined with text that makes them more explicit.*

## Note

If it is not practical to associate a text with specific symbols whose meaning may not be clear (lack of space in the mock-up, for example), some solutions may be found later on in the development phase (by adding tooltips, for example).



*In this example, symbols that could be ambiguous are combined with text displayed in tooltips.*

Nevertheless, these are compromise solutions that are less effective than optimising the symbol directly with associated text.

## Do not justify the text

Justification of the text can lead to reading difficulties.

It is therefore recommended not to justify the text by favouring a left-hand alignment instead.



### Breaking News

Why not join in the discussions around our Ascent Journey 2018 blog which contains regular articles on Aros' predictions and vision for future technologies? This week - Open innovation - an alternative to continuous patent disputes.



### Breaking News


Why not join in the discussions around our Ascent Journey 2018 blog which contains regular articles on Aros' predictions and vision for future technologies? This week - Open innovation - an alternative to continuous patent disputes.

*In this first example, the justified text leads to irregular and large gaps between words, which may lead to difficulties in reading the text.*

## Group similar form fields together and give them a heading

Whenever fields of the same type are present in long forms, it is recommended to:

- Visually group them together.
- Introduce them with a clear and concise heading.



The image shows a flight booking form titled "Book flights". It is divided into three distinct sections, each with a heading: "Cities and dates", "Passengers", and "Options".

- Cities and dates:** This section includes fields for "From" (PAR), "To" (City or airport), "Depart" (05/11/2018), and "Return" (05/18/2018). It also has dropdowns for "Time of day" (Early Morning) and checkboxes for "Include nearby airports".
- Passengers:** This section includes a "Number of passengers" dropdown (set to 1) and a "Passenger 1" dropdown (set to Adult (16-64)).
- Options:** This section includes dropdowns for "Search by" (Lowest fare), "Class" (Show all), and "Airline" (American Airlines).


A "Search" button is located at the bottom right of the form.

*In this example, the fields are grouped by categories: "Cities and dates", "Passengers" and "Options".*

## Indicate the format and size of each document that can be downloaded

For each link that points to a document that can be downloaded, the following information should be included in the link text:


- Title of the document.
- Format of the document.
- Size of the document.



*Example of indication of size and format of a PDF document.*

## Indicate the language of each document available for download written in a foreign language

Whenever a link points to a document available for download in a different language than the main language of the page, then the language of the document should be indicated in the link text.



*Example of an indication of the language of a PDF document.*

### **Note**

If it is not practical to add this information in the link texts (lack of space in the mock-up, for example), there are other solutions that can be used later in the development phase.

Nevertheless, this is a compromise solution that is less effective than directly optimizing the link text.

### **Tip**

Another solution is to write the title of the document to be downloaded in the language of its content.



## More information



[Guide touristique de Paris](#) (PDF, 346 Ko)

### Keep accents on capital letters (for French, Spanish and any language containing accented characters)

While writing in a language containing accented characters, accents should be kept, even on capital letters.

Therefore you should write “Belle Époque” instead of “Belle Epoque”, “DÉTENTE” rather than “DETENTE”, etc.

#### Note

You are strongly encouraged not to write long sections of text in capital letters, because they make reading tiresome.

### Make the current position visually different in each navigation system

In each navigation system, it is recommended to differentiate the appearance of the current item.




*In this first example of a menu, the currently active section (“Newsletter”) is indicated by a different text and background color, and by the arrow pointing down.*



*In this second example of a menu, the currently active page (“Tech”) is indicated by a different background color, bold characters and a notch mark.*



*In this pagination example, the currently active page ("3") is indicated by a different text and background color, and bold characters.*



*In this example of a tab system, the currently active tab ("Spot") is indicated by a different text and background color, and bold characters.*



*In this example of a navigation system within a news carousel, the currently active panel is indicated by a dot of a different color and size.*

### **Warning**

Make sure that the means for visually distinguishing current items in the navigation system **are not only based on color**.

Color can be completed, for instance, with:

- Bold characters.
- An icon.
- A different text size.

### **Note**

It is also highly recommended to have a different appearance for the mouse-over of menu items.


## **Plan sufficiently large and spaced hotspots**

It is recommended to make sure that hotspots (links and buttons, for instance) are sufficiently large (at least 0.5 x 0.5inch, i.e. 33 x 33 pt) and well-spaced from each other.

## Provide a breadcrumb

It is recommended to provide a breadcrumb on each internal page of the website:

- It should show the current position of the user in the website's hierarchical structure in relation to the home page.
- It should allow the user to navigate up the hierarchy of parent pages to the home page.
- It should always be positioned in the same place on each page.



*Example of a breadcrumb.*


### Tip

It is considered good practice to visually distinguish the last item of the breadcrumb if this is the current position.

## Provide a confirmation message

Each time a form is successfully validated, it is recommended to provide a confirmation message.

This message should remind the user of the action that has been executed.



*Following the addition of an item to the shopping bag, a confirmation message is clearly displayed on the screen near the « ADD TO BAG » button.*

### **Warning**

Confirmation messages must not disappear automatically.

These messages must only disappear on a user action (closing button, new page display, new form submission, etc.).

### **Note**

In some circumstances, a confirmation message is not necessary, as the page displayed after submitting the form makes the result of the action obvious.

For example:

- A login form that sends the user to a "User profile" page.
- A "Go to next step" button that sends the user to the next step in a form with multiple steps.
- A comments form that sends the user to the posted comment.
- Etc.

## **Provide a heading for each data table**

When data tables are used, it is recommended to associate them with a title that clearly and succinctly presents their contents.

Support Request

Print Export Manage columns

Support Request ▾	Status	Severity	Last Updated	Product
12133677301	Open	3-Medium	2013-12-12	My VMware Portal
13413346612	Open	4-Low	2013-12-12	VMware vSphere ESXi 5.1
1346767753	Open	2-High	2013-12-25	vCenter Site Recovery Mana...
1234434545	Open	3-Medium	2013-12-12	vCenter Server 5 Standard
4567876567	Open	4-Low	2013-12-12	vSphere 5
3456754566	Open	3-Medium	2013-12-12	vCloud Automation Center

*Example of a data table with a heading.*

## Provide an explicit link text for each link and each button



A link or button is considered as non-explicit when its text alone does not make it possible to understand its destination or function.

The following link and button texts are therefore to be avoided:

- "Read more".
- "More information".
- "Click here".
- Etc.

They should be replaced by such texts as:

- "Mr. Cameron's statement (read more)".
- "More information on the Wiltshire contract".
- "Discover our welcome offer".
- Etc.



*In this example, the "Read more" links have been deleted, and the links placed directly on the heading of the case studies.*

**i Note**

If it is not practical to make some link or button texts explicit (lack of space in the mock-up, for example), there are other solutions that can be used later in the development phase.

Nevertheless, this is a compromise solution that is less effective than directly optimizing the link or the button with an explicit link text.

**Provide a submit button at the end of each form**

A submit button should be provided in each form, and placed at the end of the form.

RAIL TICKETS RAIL PASSES HOTEL

### BOOK YOUR TRAIN TICKET

Rail Pass  Reservation

From:

To:

Journey:  One way  Return

Depart:

Return:

Adults:   
 Seniors:   
 Children:   
 Youths:

RAIL TICKETS RAIL PASSES HOTEL

### BOOK YOUR TRAIN TICKET

Rail Pass  Reservation

From:

To:

Journey:  One way  Return

Depart:

Return:

Adults:   
 Seniors:   
 Children:   
 Youths:

*In the first example, the options "Adults", "Seniors", "Children" and "Youths" are placed after the "Search" submit button. Some users may omit to enter this information. For this reason, it is important to position the submit button at the end of the form, as in the second example.*

**i Note**

In some circumstances, you do not need to provide a button.

NEWS

Filter by category:

6/05/2013  
**The Mannheim-ESSEC double degree celebrates its 20th anniversary**  
 One course, two degrees: the Franco-German program offered jointly by the University of Mannheim Business School and l'ESSEC Business School offers students the opportunity to (...)

Press - 3/05/2013  
**34th "Tournoi des 5 ballons"**  
 April 28 – May 3, at ESSEC Business School Campus

*This is the case, for example, with a drop-down list for sorting a list of results dynamically, as the action is triggered dynamically when the user makes a choice.*

## Provide a summary prior to final submission of multi step forms

For each form containing multiple steps, a summary of all the data entered should be proposed to the user before the final submission of the form.

From this summary, it should be possible to:

- Directly edit all data.
- And/or go back to the previous steps to modify the data.

The screenshot displays a 'Review your ticket before payment' interface. It features two ticket entries. The first ticket is for Monday, 21 May, from Paris Gare du Nord at 16:13 to London St-Pancras at 17:39, priced at €104.00. The second ticket is for Wednesday, 30 May, from London St-Pancras at 17:01 to Paris Gare du Nord at 20:20, priced at €65.00. Both tickets are for 2nd class, side-by-side seats, window, carriage 5, seat 25 (for the first) and carriage 13, seat 35 (for the second). The interface includes a 'CANCEL' button and a 'PAY €169.00' button. A 'Share' icon is also present.

*After filling out the form, a summary is provided and gives the possibility to modify the information before ordering the purchases.*

## Provide a way of returning to the previous steps on forms with multiple steps

For each multi-step form, it is recommended to clearly indicate the total number of steps as well as the current step.



*Three steps are announced in this form. The current step is indicated by a bold effect and different text and background colors.*

It is also recommended to provide a way to return to the previous steps.





In this form, 3 steps are identified and users can click on the title of step 1 to go back from a further one.


## Provide skip links

It is recommended to design the "Go to Content" skip link at the top of at least one of the graphic mock-ups.

### Tip

It can be **hidden by default**, if you prefer.

In this case, [it will be made visible on keyboard access during the development phase.](#)



Example of a "Skip to content" skip link situated at the top of the page.

### Note

Links such as "Go to menu", and "Go to search", can also be added besides the "Go to content" link if these items are not near the top of the page.